



Jeffrey Kimble/R5/USEPA/US@EPA 06/30/2004 12:56 PM

To

Subject Re: Dutton Corporate Centre

Erika, please bear with me because I am a bit confused. My notice letter which was sent to the the developers and Mr. Jacobs specifically asked that additional monitoring wells be installed to define the extent of the plume. I have reviewed the map that ftc&h gave me on the first 2 well locations and verbally approved it. I also sent a fax to Mr. Jacobs telling him I approved those first 2 well locations to aid in ftc&h obtaining access to his property.

The only other "formal request" that I could issue would be a RCRA 7003 order telling your client to install the wells. That would impede the Brownsfield grant process, so I prefer not to do that but may have to soon if this issue is not resolved.

If you need something for documentation purposes, please consider this e-mail as documentation that I agree with the location of the first 2 monitoring well installation points and that I have discussed this matter with Mr. Jacob. Also, please note that if this does not define the extent of the plume, more wells will be installed.

If you have any other questions, please feel free to call me.

Jeff Kimble, On-Scene Coordinator U.S. EPA, Region 5 9311 Groh Road Grosse Ile, Michigan 48138 (734) 692-7688 office (734) 740-9013 cell

-----Erika Revette <erevette@rockfordconstruction.com> wrote: -----

To: Jeffrey Kimble/R5/USEPA/US@EPA

From: Erika Revette <erevette@rockfordconstruction.com>

Date: 06/30/2004 08:00AM Subject: Dutton Corporate Centre

Jeff,

Per our conversation this morning regarding meeting minutes what we are looking for is a formal request from MDEQ and/or EPA for the drilling of the two additional monitor wells on the Jacobs property. We would greatly appreciate any information that you may have to be forwarded on to us.

Very Sincerely,
Erika Revette
Construction Administrator
Rockford Construction Co., Inc.
Dutton Corporate Centre

Ph: (248) 475-5836 Fax: (248) 475-5896

Email: erevette@rockfordconstruction.com